New York State Department of Environmental Conservation Notice of Complete Application

Date: 04/11/2011

Applicant: CITY OF ROCHESTER

30 CHURCH ST

ROCHESTER, NY 14614

Facility: RUSH RESERVOIR

TOWNLINE RD RUSH, NY 14543

Application ID: 8-2650-00037/00003

Permits(s) Applied for: 1 - Article 15 Title 5 Dam

Project is located: in RUSH in MONROE COUNTY

Project Description:

The applicant proposes to install a floating cover, improvements to the existing liner, and modifications of the inlet and outlet structures of the Rush Reservoir as part of the upgrades to the City of Rochester Water Supply System. The project is located at 1701 Rush-Henrietta Townline Rd in the Town of Rush

Availability of Application Documents:

Filed application documents, and Department draft permits where applicable, are available for inspection during normal business hours at the address of the contact person. To ensure timely service at the time of inspection, it is recommended that an appointment be made with the contact person.

State Environmental Quality Review (SEQR) Determination

Project is a Type I action and will not have a significant effect on the environment. A coordinated review with other involved agencies was performed and a Negative Declaration is on file.

SEQR Lead Agency Rochester City Environmental Services

State Historic Preservation Act (SHPA) Determination

A cultural resources survey has been completed. Based on information provided in the survey report, the New York State Office of Parks, Recreation and Historic Preservation (OPRHP) has determined that the proposed activity will have no impact on registered or eligible archaeological sites or historic structures. No further review in accordance with SHPA is required.

Availability For Public Comment

Comments on this project must be submitted in writing to the Contact Person no later than 06/30/2011 or 15 days after the publication date of this notice, whichever is later.

Contact Person
CHRISTINE SETARI
NYSDEC
6274 E AVON-LIMA RD
AVON, NY 14414
(585) 226-2466