

LEAD-BASED PAINT POISONING PREVENTION ORDINANCE

ELEVEN YEAR REVIEW

7/25/17

Overview:

Through eleven years of the lead ordinance we have inspected a total of 99,163 structures and 154,015 individual dwelling units city wide. Some units and structures have been inspected more than once during this period of time. We completed inspections at all 17,951 structures with residential dwelling units originally identified as being located in the designated "high risk" area in year five.

Compliance Rates:

Exterior Inspections: Of the 99,163 structures inspected, 86% did not have an exterior lead violation. Of the 13,812 structures cited with exterior lead violations 85% have complied as of June 30, 2017.

Interior Inspections: Of the 154,015 units inspected 95% passed the visual aspect of the inspection. Of the 7,469 units cited with interior deteriorated paint violations 87% have complied as of June 30, 2017.

We have performed lead dust wipe testing in 37,586 units and 90% of those units tested passed. We have not seen a dramatic difference in the passing rate of occupied (89%) vs. vacant (89%) units, as was the expressed concern of the landlords prior to the adoption of the ordinance. Of the 3,893 units cited with a lead dust hazard 98% have complied as of June 30, 2017.

Reimbursement for Private Clearance:

\$100 reimbursements for the cost of lead clearance testing were available to property owners in the first four years of the ordinance. Over this period of time we processed a total of 1,665 reimbursements. This reimbursement has since been discontinued due to funding.

Enforcement:

Prior to the implementation of the lead ordinance we discussed utilizing a vacate order in situations where we recognized a severe case of interior deteriorated paint or a lead dust hazard and where children resided if the violations were not corrected in a timely manner. In the first eleven years of the ordinance we have issued 722 vacate orders for these types of situations. During this same eleven year period we have issued 2,991 tickets for non-compliance of lead ordinance violations.